



DEPARTMENT OF THE AIR FORCE
59TH MEDICAL WING (AETC)
JOINT BASE SAN ANTONIO - LACKLAND TEXAS

21 FEB 2017

MEMORANDUM FOR SGOS

ATTN: LT COL ROSS A. SCHUMER

FROM: 59 MDW/SGVU

SUBJECT: Professional Presentation Approval

1. Your paper, entitled **Effect of Progressively Larger Lateral Column Lengthening Calcaneal Osteotomy on Radiographic Measurements of Foot Alignment** presented at/published to **American Academy of Orthopedic Surgeons Annual Meeting, CA, 16 March 2017** in accordance with MDWI 41-108, has been approved and assigned local file #17100.
2. Pertinent biographic information (name of author(s), title, etc.) has been entered into our computer file. Please advise us (by phone or mail) that your presentation was given. At that time, we will need the date (month, day and year) along with the location of your presentation. It is important to update this information so that we can provide quality support for you, your department, and the Medical Center commander. This information is used to document the scholarly activities of our professional staff and students, which is an essential component of Wilford Hall Ambulatory Surgical Center (WHASC) internship and residency programs.
3. Please know that if you are a Graduate Health Sciences Education student and your department has told you they cannot fund your publication, the 59th Clinical Research Division may pay for your basic journal publishing charges (to include costs for tables and black and white photos). We cannot pay for reprints. If you are 59 MDW staff member, we can forward your request for funds to the designated wing POC.
4. Congratulations, and thank you for your efforts and time. Your contributions are vital to the medical mission. We look forward to assisting you in your future publication/presentation efforts.

Linda Steel-Goodwin

LINDA STEEL-GOODWIN, Col, USAF, BSC
Director, Clinical Investigations & Research Support

PROCESSING OF PROFESSIONAL MEDICAL RESEARCH/TECHNICAL PUBLICATIONS/PRESENTATIONS

INSTRUCTIONS

USE ONLY THE MOST CURRENT 59 MDW FORM 3039 LOCATED ON AF E-PUBLISHING

1. The author must complete page two of this form:
 - a. In Section 2, add the funding source for your study [e.g., 59 MDW CRD Graduate Health Sciences Education (GHSE) (SG5 O&M); SG5 R&D; Tri-Service Nursing Research Program (TSNRP); Defense Medical Research & Development Program (DMRDP); NIH; Congressionally Directed Medical Research Program (CDMRP) ; Grants; etc.]
 - b. In Section 2, there may be funding available for journal costs, if your department is not paying for figures, tables or photographs for your publication. Please state "YES" or "NO" in Section 2 of the form, if you need publication funding support.
2. Print your name, rank/grade, sign and date the form in the author's signature block or use an electronic signature.
3. Attach a copy of the 59 MDW IRB or IACUC approval letter for the research related study. If this is a technical publication/presentation, state the type (e.g. case report, QA/QI study, program evaluation study, informational report/briefing, etc.) in the "Protocol Title" box.
4. Attach a copy of your abstract, paper, poster and other supporting documentation.
5. Save and forward, via email, the processing form and all supporting documentation to your unit commander, program director or immediate supervisor for review/approval.
6. On page 2, have either your unit commander, program director or immediate supervisor:
 - a. Print their name, rank/grade, title; sign and date the form in the approving authority's signature block or use an electronic signature.
7. Submit your completed form and all supporting documentation to the CRD for processing (59crdpubspres@us.af.mil). **This should be accomplished no later than 30 days before final clearance is required to publish/present your materials.** If you have any questions or concerns, please contact the 59 CRD/Publications and Presentations Section at 292-7141 for assistance.
8. The 59 CRD/Publications and Presentations Section will route the request form to clinical investigations, 502 ISG/JAC (Ethics Review) and Public Affairs (59 MDW/PA) for review and then forward you a final letter of approval or disapproval.
9. Once your manuscript, poster or presentation has been approved for a one-time public release, you may proceed with your publication or presentation submission activities, as stated on this form. **Note:** For each new release of medical research or technical information as a publication/presentation, a new 59 MDW Form 3039 must be submitted for review and approval.
10. If your manuscript is accepted for scientific publication, please contact the 59 CRD/Publications and Presentations Section at 292-7141. This information is reported to the 59 MDW/CC. All medical research or technical information publications/presentations must be reported to the Defense Technical Information Center (DITC). See 59 MDWI 41-108, *Presentation and Publication of Medical and Technical Papers*, for additional information.
11. The Joint Ethics Regulation (JER) DoD 5500.07-R, *Standards of Conduct*, provides standards of ethical conduct for all DoD personnel and their interactions with other non-DoD entities, organizations, societies, conferences, etc. Part of the Form 3039 review and approval process includes a legal ethics review to address any potential conflicts related to DoD personnel participating in non-DoD sponsored conferences, professional meetings, publication/presentation disclosures to domestic and foreign audiences, DoD personnel accepting non-DoD contributions, awards, honoraria, gifts, etc. The specific circumstances for your presentation will determine whether a legal review is necessary. **If you (as the author) or your supervisor check "NO" in block 17 of the Form 3039, your research or technical documents will not be forwarded to the 502 ISG/JAC legal office for an ethics review.** To assist you in making this decision about whether to request a legal review, the following examples are provided as a guideline:

For presentations before professional societies and like organizations, the 59 MDW Public Affairs Office (PAO) will provide the needed review to ensure proper disclaimers are included and the subject matter of the presentation does not create any cause for DoD concern.

If the sponsor of a conference or meeting is a DoD entity, an ethics review of your presentation is not required, since the DoD entity is responsible to obtain all approvals for the event.

If the sponsor of a conference or meeting is a non-DoD commercial entity or an entity seeking to do business with the government, then your presentation should have an ethics review.

If your travel is being paid for (in whole or in part) by a non-Federal entity (someone other than the government), a legal ethics review is needed. These requests for legal review should come through the 59 MDW Gifts and Grants Office to 502 ISG/JAC.

If you are receiving an honorarium or payment for speaking, a legal ethics review is required.

If you (as the author) or your supervisor check "YES" in block 17 of the Form 3039, your research or technical documents will be forwarded simultaneously to the 502 ISG/JAC legal office and PAO for review to help reduce turn-around time. If you have any questions regarding legal reviews, please contact the legal office at (210) 671-5795/3365, DSN 473.

NOTE: All abstracts, papers, posters, etc., should contain the following disclaimer statement:

"The views expressed are those of the [author(s)] [presenter(s)] and do not reflect the official views or policy of the Department of Defense or its Components"

NOTE: All abstracts, papers, posters, etc., should contain the following disclaimer statement for research involving humans:

"The voluntary, fully informed consent of the subjects used in this research was obtained as required by 32 CFR 219 and DODI 3216.02_AFI 40-402."

NOTE: All abstracts, papers, posters, etc., should contain the following disclaimer statement for research involving animals, as required by AFMAN 40-401_IP :

"The experiments reported herein were conducted according to the principles set forth in the National Institute of Health Publication No. 80-23, Guide for the Care and Use of Laboratory Animals and the Animal Welfare Act of 1966, as amended."

PROCESSING OF PROFESSIONAL MEDICAL RESEARCH/TECHNICAL PUBLICATIONS/PRESENTATIONS

1. TO: CLINICAL RESEARCH		2. FROM: (Author's Name, Rank, Grade, Office Symbol) Schumer, Ross A., Lt Col, 959 MDOS/SGOS		3. GME/GHSE STUDENT: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		4. PROTOCOL NUMBER: NA	
5. PROTOCOL TITLE: (NOTE: For each new release of medical research or technical information as a publication/presentation, a new 59 MDW Form 3039 must be submitted for review and approval.) Effect of Progressively Larger Lateral Column Lengthening Calcaneal Osteotomy on Radiographic Measurements of Foot Alignment							
6. TITLE OF MATERIAL TO BE PUBLISHED OR PRESENTED: Effect of Progressively Larger Lateral Column Lengthening Calcaneal Osteotomy on Radiographic Measurements of Foot Alignment							
7. FUNDING RECEIVED FOR THIS STUDY? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO FUNDING SOURCE:							
8. DO YOU NEED FUNDING SUPPORT FOR PUBLICATION PURPOSES: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO							
9. IS THIS MATERIAL CLASSIFIED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO							
10. IS THIS MATERIAL SUBJECT TO ANY LEGAL RESTRICTIONS FOR PUBLICATION OR PRESENTATION THROUGH A COLLABORATIVE RESEARCH AND DEVELOPMENT AGREEMENT (CRADA), MATERIAL TRANSFER AGREEMENT (MTA), INTELLECTUAL PROPERTY RIGHTS AGREEMENT ETC.? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO NOTE: If the answer is YES then attach a copy of the Agreement to the Publications/Presentations Request Form.							
11. MATERIAL IS FOR: <input checked="" type="checkbox"/> DOMESTIC RELEASE <input type="checkbox"/> FOREIGN RELEASE CHECK APPROPRIATE BOX OR BOXES FOR APPROVAL WITH THIS REQUEST. ATTACH COPY OF MATERIAL TO BE PUBLISHED/PRESENTED.							
<input type="checkbox"/> 11a. PUBLICATION/JOURNAL (List intended publication/journal.)							
<input type="checkbox"/> 11b. PUBLISHED ABSTRACT (List intended journal.)							
<input type="checkbox"/> 11c. POSTER (To be demonstrated at meeting: name of meeting, city, state, and date of meeting.)							
<input checked="" type="checkbox"/> 11d. PLATFORM PRESENTATION (At civilian institutions: name of meeting, state, and date of meeting.) American Academy of Orthopedic Surgeons Annual Meeting, CA, 16 Mar 2017							
<input type="checkbox"/> 11e. OTHER (Describe: name of meeting, city, state, and date of meeting.)							
12. HAVE YOUR ATTACHED RESEARCH/TECHNICAL MATERIALS BEEN PREVIOUSLY APPROVED TO BE PUBLISHED/PRESENTED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO ASSIGNED FILE # _____ DATE _____							
13. EXPECTED DATE WHEN YOU WILL NEED THE CRD TO SUBMIT YOUR CLEARED PRESENTATION/PUBLICATION TO DTIC NOTE: All publications/presentations are required to be placed in the Defense Technical Information Center (DTIC).							
DATE February 16, 2017							
14. 59 MDW PRIMARY POINT OF CONTACT (Last Name, First Name, M.I., email) Schumer, Ross, A. ross.a.schumer.mil@mail.mil						15. DUTY PHONE/PAGER NUMBER cell719-447-7061/pager513-3138	
16. AUTHORSHIP AND CO-AUTHOR(S) List in the order they will appear in the manuscript.							
LAST NAME, FIRST NAME AND M.I.		GRADE/RANK		SQUADRON/GROUP/OFFICE SYMBOL		INSTITUTION (If not 59 MDW)	
a. Primary/Corresponding Author Schumer, Ross A.		Lt Col		959 MDOS/SGOS			
b. Anthony, Christopher		NA		NA		Univ of Iowa	
c. Goetz, Jessica		NA		NA		Univ of Iowa	
d. Phisitkul, Phinit		NA		NA		Univ of Iowa	
e. Femino, John		NA		NA		Univ of Iowa	
17. IS A 502 ISG/JAC ETHICS REVIEW REQUIRED (JER DOD 5500.07-R)? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO							
I CERTIFY ANY HUMAN OR ANIMAL RESEARCH RELATED STUDIES WERE APPROVED AND PERFORMED IN STRICT ACCORDANCE WITH 32 CFR 219, AFMAN 40-401_IP, AND 59 MDWI 41-108. I HAVE READ THE FINAL VERSION OF THE ATTACHED MATERIAL AND CERTIFY THAT IT IS AN ACCURATE MANUSCRIPT FOR PUBLICATION AND/OR PRESENTATION.							
18. AUTHOR'S PRINTED NAME, RANK, GRADE Ross A. Schumer, Lt Col, USAF, MC				19. AUTHOR'S SIGNATURE SCHUMER ROSS ARON 1039395840		20. DATE February 13, 2017	
21. APPROVING AUTHORITY'S PRINTED NAME, RANK, TITLE Christopher J. Roach, LTC, Vice Chairman, Dept of Ortho Surg				22. APPROVING AUTHORITY'S SIGNATURE ROACH CHRISTOPHER JAMES 1076831617		23. DATE February 13, 2017	

PROCESSING OF PROFESSIONAL MEDICAL RESEARCH/TECHNICAL PUBLICATIONS/PRESENTATIONS

1st ENDORSEMENT (59 MDW/SGVU Use Only)

TO: Clinical Research Division 59 MDW/CRD Contact 292-7141 for email instructions.	24. DATE RECEIVED February 15, 2017	25. ASSIGNED PROCESSING REQUEST FILE NUMBER 17100
26. DATE REVIEWED 21 Feb 2017		27. DATE FORWARDED TO 502 ISG/JAC

28. AUTHOR CONTACTED FOR RECOMMENDED OR NECESSARY CHANGES: ☒ NO ☐ YES If yes, give date. _____ ☐ N/A

29. COMMENTS ☒ APPROVED ☐ DISAPPROVED

The abstract and slide presentation are approved.

30. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER Rocky Calcote, PhD, Clinical Research Administrator	31. REVIEWER SIGNATURE CALCOTE.ROCKY.D.1178245844 <small>Digitally signed by CALCOTE.ROCKY.D.1178245844 DN: cn=Rocky D. Calcote, email=rocky.d.calcote@usaf.af.mil, o=USAF Date: 2017.02.21 16:42:48 -0500</small>	32. DATE
--	--	----------

2nd ENDORSEMENT (502 ISG/JAC Use Only)

33. DATE RECEIVED	34. DATE FORWARDED TO 59 MDW/PA
-------------------	---------------------------------

35. COMMENTS ☐ APPROVED (In compliance with security and policy review directives.) ☐ DISAPPROVED

36. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER	37. REVIEWER SIGNATURE	38. DATE
---	------------------------	----------

3rd ENDORSEMENT (59 MDW/PA Use Only)

39. DATE RECEIVED February 21, 2017	40. DATE FORWARDED TO 59 MDW/SGVU February 21, 2017
--	--

41. COMMENTS ☒ APPROVED (In compliance with security and policy review directives.) ☐ DISAPPROVED

42. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER Kevin Iinuma, SSgt/E-5, 59 MDW Public Affairs	43. REVIEWER SIGNATURE IINUMA.KEVIN.MITSUGU.1296227 613 <small>Digitally signed by IINUMA.KEVIN.MITSUGU.1296227 DN: cn=Kevin M. Mitsugu, email=kevin.mitsugu@usaf.af.mil, o=USAF Date: 2017.02.21 13:14:41 -0500</small>	44. DATE February 21, 2017
--	---	-------------------------------

4th ENDORSEMENT (59 MDW/SGVU Use Only)

45. DATE RECEIVED	46. SENIOR AUTHOR NOTIFIED BY PHONE OF APPROVAL OR DISAPPROVAL <input type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> COULD NOT BE REACHED <input type="checkbox"/> LEFT MESSAGE
-------------------	--

47. COMMENTS ☐ APPROVED ☐ DISAPPROVED

48. PRINTED NAME, RANK/GRADE, TITLE OF REVIEWER	49. REVIEWER SIGNATURE	50. DATE
---	------------------------	----------

Effect of Progressively Larger Lateral Column Lengthening Calcaneal Osteotomy on
Radiographic Measurements of Foot Alignment

Christopher Anthony MD, Ross Schumer MD, Drew Kern, Adam Kruse, Jessica Goetz PhD,
Phinit Phisitkul MD, John Femino MD

The views expressed are those of the authors and do not reflect the official views or policy of the Department of Defense or its Components.

Abstract

Background: Lateral column lengthening is a common procedure for correcting Type IIB flat feet and has been shown to be clinically successful. The specific aims of this study were to establish a reliable Type IIB flat foot model, evaluate the effect of progressive lengthening on common radiographic measurements using simulated X-ray images from weight bearing computer tomography scans, and determine if overcorrection is possible using common lengths of distraction.

Methods: Eight intact (mid-tibial transection) adult cadaveric foot specimens were used to assess the effects of a ligament sectioning protocol for creation of Type IIB flat foot model and the subsequent effect of correction with 6, 8, and 10mm lengthening blocks. Each specimen was mounted in a custom loading jig that allowed for free tibial rotation and pronation with loading. Specimens were scanned under 100 pounds of axial load using a weightbearing CT scanner. Ligament sectioning was then performed using a protocol established during pilot work to create a reproducible Type IIB flat foot based on hindfoot valgus and midfoot abduction with divergence of the talus and calcaneus in the AP foot view. Key ligaments sectioned included the medial and plantar spring ligament up to coronoid fossa (sparing the lateral most fibers), the interosseous talo-calcaneal ligament (ITCL), and the cervical ligament. Each specimen was scanned under load with ligaments intact, in the flattened condition after ligament sectioning, and again after a lateral calcaneal lengthening osteotomy with 6, 8, and 10 mm lengthening blocks. Simulated AP and lateral radiographs were produced from the weightbearing CT images using custom code developed in Matlab. Three individuals measured naviculo-cuboid overlap, Meary's angle and AP talo-navicular coverage angle on each image in a blinded, randomized fashion. A period of training was used to establish consistent measurement techniques between individuals and interobserver agreement was assessed using intraclass correlation coefficients (ICCs).

Results: The interobserver agreement was excellent for the naviculo-cuboid overlap (ICC = 0.91), good for Meary's angle (ICC=0.81), and acceptable for the talo-navicular coverage angle (ICC=0.65). We report data on naviculo-cuboid overlap (Figure 1), Meary's angle (Figure 2) and AP talo-navicular coverage angle (Figure 3).

Conclusion: Sectioning of the cervical ligament, in addition to the spring ligament and ITCL, proved key to producing a type IIB flat foot in this cadaveric model. Lateral column lengthening restored the foot to a more normal anatomic position as defined by standard radiographic

measurements. A 10 mm lateral column lengthening tends to overcorrect all three measured radiographic measurements.

Introduction

Etiology of adult-acquired flatfoot deformity is most commonly described as collapse of the medial longitudinal arch with failure of the supporting soft tissue structures [1,2], most notably the posterior tibial tendon and spring ligament [3,4]. In the US, adult-acquired flatfoot deformity is thought to affect approximately 5 million people [2,5]. Lateral column lengthening is a common procedure for correcting Type IIB flat feet and has been shown to be clinically successful [6,7,8]. Various radiographic measures have been described to quantify the pathologic flatfoot. The lateral talo-first metatarsal angle (Meary's angle) [9], naviculo-cuboid overlap (NCO) [10], and talo-navicular coverage angle [10] are previously described measures that aid in the radiographic assessment of flatfoot deformity.

The specific aims of this study were to establish a reliable Type IIB flat foot model, to evaluate the effect of progressive lengthening on common radiographic measurements using images from weight bearing scans, and to determine if overcorrection is possible using common lengths of distraction.

Methods

Cadaver Experimentation

Eight intact (mid-tibial transection) adult cadaveric foot specimens without obvious deformity or evidence of previous surgery were used to assess the effects of a ligament sectioning protocol for creation of a Type IIB flat foot model and the subsequent effect of correction with 6, 8, and 10mm lengthening blocks. To prepare for testing, each cadaveric specimen was cut transected 30 cm proximal to the ankle joint. An 8 cm span of soft tissue adjacent to the saw cut was removed in preparation for potting the proximal tibia and fibula in a cylindrical polymethylmethacrylate bone cement block for interfacing with the pot on a custom loading frame.

Metallic beads were subsequently placed in the talus, calcaneus, navicular, and cuboid for future analysis. During dissection for bead placement, care was taken to preserve the following structures: Deltoid ligament (deep and superficial) including the anterior band, the spring ligament, bifurcate ligament, anterior talofibular ligament, calcaneal fibular ligament, and medial two inferior extensor retinaculum roots.

Specimens were frozen to -20°C for storage and then thawed for 24 hours at room temperature prior to biomechanical testing. For all images acquired in this work, the specimen was loaded in a standing weight bearing position using a custom frame and stacking weights. Each specimen was positioned in the frame for scanning with the foot placed on a horizontal low-friction polymer (Delrin) sheet. A vertical post embedded in the polymer sheet was positioned in the web space between the first and second toes to prevent the foot from displacing anteriorly during loading. The foot was otherwise unconstrained and allowed to naturally

pronate under load. The potted proximal tibia/fibula were held in a cylindrical clamp allowed to translate freely in the anterior/posterior and medial/lateral directions through support provided by two pairs of perpendicularly oriented bearing slides.

A 450 N (100 pound) static load was applied to the proximal tibia/fibula using stacking weights added to a vertical post extending from the proximal specimen clamp and offset anteriorly. This was chosen to simulate the normal weight bearing load of a 900 N patient in double leg stance as would be the case for weight bearing xrays. Once the weight was added to the frame and the cadaveric specimen settled in its natural weightbearing position, locking collars on the bearings were locked to stabilize the construct for CT scanning. All specimens were imaged using a weightbearing CT scanner (PedCAT, CurveBeam).

Specimens were first imaged intact to establish baseline radiographic measurements. The specimen was then removed from the loading frame and a Type IIB flat foot was created using a protocol established during pilot work based on hindfoot valgus and midfoot abduction with divergence of the talus and calcaneus in the AP foot view. Key ligaments sectioned included the medial and plantar spring ligament up to coronoid fossa (sparing the lateral most fibers), the interosseous talo-calcaneal ligament (ITCL), and the cervical ligament. Care was taken to preserve the tibio-calcaneal portion of the superficial and deep deltoid ligament medially and the bifurcate ligament laterally. The specimens were then remounted in the loading frame, the same 450 N load was applied, and a CT scan was acquired in this flatfoot condition.

Specimens were again removed from the loading frame for a surgical flatfoot reconstruction using a modified single cut lateral calcaneal lengthening procedure. The location of the osteotomy was based on the anterior edge of the posterior facet [11]. The peroneal tendons were elevated from the calcaneus and an oscillating saw was used to perform the osteotomy. The specimens were remounted. Three progressive levels of lengthening (6 mm, 8 mm, and 10 mm) of the lateral column were performed using a hard rectangular polyurethane foam spacer inserted into the lateral calcaneal osteotomy until the surface was flush with the cortical bone surface. Weightbearing CT scans were acquired after each progressive lengthening.

Flatfoot Measurement

The resultant CT scan DICOM images were used to create simulated AP and lateral weightbearing radiographs using custom code developed in Matlab (The Mathworks, Natick MA). Prior to creation of simulated radiographs, the geometry of the foot was segmented from the CT volume, and all background information was removed in attempts to reduce the influence of beam hardening artifact caused by the loading frame and implanted beads on the resulting images. The simulated radiographs were created by projecting rays through the CT volume such that each ray corresponded to a pixel on a virtual digital radiography (DR) detector. The positioning of the CT volume and the virtual DR system rays were adjusted to replicate the parameters of clinical A/P and lateral weightbearing radiographs.

Three standard radiographic measures of foot alignment were then performed on the resulting simulated digital radiographs. In order to standardize the measurement technique, a custom ImageJ plugin was written to guide each analyst through consistent anatomic landmark detection from which naviculo-cuboid overlap, Meary's angle, and AP talo-navicular coverage angle were calculated.

For the naviculo-cuboid overlap (NCO) measurement, the user was prompted to select the superior extent of the cuboid (), the inferior extent of the cuboid (), and the inferior extent of

the navicular () from the lateral simulated radiograph. (Figure 1a) NCO was computed as the vertical height of the cuboid () divided by the vertical distance between the top of the cuboid and the bottom of the navicular (). The value of this measurement ranges from 0 (no overlap of the navicular and cuboid) to 1 (complete overlap between the navicular and cuboid).

For the Meary's angle (MA) measurement, the user was prompted to draw lines spanning the proximal and distal metadiaphyseal junctions of the first metatarsal (and , respectively), a line spanning the articular surface of the talar head () and a line from the lateral process of the talus to the center of the talar dome () on the lateral simulated radiograph. (Figure 1b) The axis of the first metatarsal was computed by creating a line through the midpoints of the and the measurements. The axis of the talus was found in similar fashion by creating a line through the midpoints of the and measurements. MA was reported as the angle between these two axes with apex dorsal indicated by positive values and apex plantar indicated by negative values.

For calculating talo-navicular coverage (TNC), the user was prompted to select a line spanning the articular surface of the talar head () and a line spanning the articular surface of the navicular () on the simulated AP radiograph. (Figure 1c) TNC was calculated as the angle between the and lines. Positive values indicated a more abducted or flatter foot (*Sangeorzan et al FootAnkle 1993 (14:3, 136-141)*).

All three measurements were performed by three reviewers on all simulated radiographs. Measurements were performed in a randomized and blinded fashion so that the particular intervention (intact vs. flattened or 6mm vs. 8mm vs. 10mm correction) could not be readily determined. Average and standard deviation of each measure at each intervention stage were calculated to determine the ability of progressively larger lateral calcaneal lengthening to correct each measure toward normal values. An intra-class correlation coefficient was calculated to assess inter-observer variability.

Results

Among three raters, the average naviculo-cuboid overlap was 0.59 ± 0.13 for the intact foot, 0.65 ± 0.12 for the flatfoot model, 0.58 ± 0.14 with the 6mm lateral lengthening, 0.58 ± 0.11 with the 8mm lateral lengthening, and 0.56 ± 0.14 with the 10mm lateral lengthening (Figure 2). The interobserver agreement was excellent for the naviculo-cuboid overlap (ICC = 0.91). The average Meary's angle was -0.3 ± 4.88 for the intact foot, -2.02 ± 5.42 for the flatfoot model, -0.99 ± 5.82 with the 6mm lateral lengthening, 0.38 ± 4.99 with the 8mm lateral lengthening, and 1.51 ± 5.51 with the 10mm lateral lengthening (Figure 3). The interobserver agreement was good for Meary's angle (ICC=0.81). The average talo-navicular coverage angle was 8.7 ± 6.43 for the intact foot, 14.03 ± 10.35 for the flatfoot model, 8.63 ± 6.98 with the 6mm lateral lengthening, 3.74 ± 7.33 with the 8mm lateral lengthening, and 7.83 ± 9.18 with the 10mm lateral lengthening (Figure 4). The interobserver agreement was acceptable for the talo-navicular coverage angle (ICC=0.65).

Discussion

Adult acquired flatfoot is a common condition seen by orthopedic surgeons. We present our technique for creating an acute flatfoot model that may be used in further biomechanical studies, that does not require cyclic loading to create a type IIB deformity. Other cadaveric models for creation of a type IIB flat foot model have been described but require cyclic loading after initial transection to flatten the foot sufficiently to create a Type IIB malalignment [12,13]. Our model preserved the distal midfoot joints at the naviculo-cuneiform and metatarsal-cuneiform level but added transection of the cervical ligament which proved to be the key to allowing AP divergence of the talus and calcaneus; the hallmark of a Type IIB flat foot. In our pilot work, even after excision of the medial and plantar spring ligament, the talus and calcaneus remained well connected. Our described imaging techniques proved to be a reliable way to generate consistent radiographic images by rotating the initial image to specific degrees for the AP view. The advantage of the simulated X-rays was that the talus in particular was much easier to view in total than with usual radiographs. Additionally, using custom designed software to make the measurements for alignment was an effective way to allow measurers to click on bony landmarks with the software then creating the lines and measurements. This may prove to be an effective tool in the future for other X-ray measurements.

We found transection of the cervical ligament, in addition to the spring ligament and ITCL, proved necessary in producing a type IIB flat foot in this cadaveric model. We also report that lateral column lengthening generally restored several standardized measurements towards the foot's normal anatomic position. Lateral column lengthening of 10mm trended towards overcorrection. Our cadaver model and imaging assessment technique can be utilized in future studies evaluating Stage IIB flatfoot conditions.

|

References

1. Pinney SJ, Lin SS. Current concept review: acquired adult flatfoot deformity. *Foot Ankle Int.* 2006;27:66–75.
2. Abousayed MM, Tartaglione JP, Rosenbaum AJ, Dipreta JA. Classifications in Brief: Johnson and Strom Classification of Adult-acquired Flatfoot Deformity. *Clin Orthop Relat Res.* 2016 Feb;474(2):588-93.
3. Beals TC, Pomeroy GC, Manoli A 2nd. Posterior tendon insufficiency: diagnosis and treatment. *J Am Acad Orthop Surg.* 1999;7:112–118.
4. Funk DA, Cass JR, Johnson K. Acquired adult flat foot secondary to posterior tibial-tendon pathology. *J Bone Joint Surg Am.* 1986;68:95–102.
5. Hadfield MH, Snyder JW, Liacouras PC, Owen JR, Wayne JS, Adelaar RS. Effects of medializing calcaneal osteotomy on Achilles tendon lengthening and plantar foot pressures. *Foot Ankle Int.* 2003 Jul;24(7):523-9.
6. Mosier-LaClair S, Pomeroy G, Manoli A. Operative treatment of the difficult stage 2 adult acquired flatfoot deformity. *Foot Ankle Clin.* 2001 Mar;6(1):95-119.
7. Haeseker GA, Mureau MA, Faber FW. Lateral column lengthening for acquired adult flatfoot deformity caused by posterior tibial tendon dysfunction stage II: a retrospective comparison of calcaneus osteotomy with calcaneocuboid distraction arthrodesis. *J Foot Ankle Surg.* 2010 Jul-Aug;49(4):380-4.
8. Moseir-LaClair S, Pomeroy G, Manoli A. Intermediate follow-up on the double osteotomy and tendon transfer procedure for stage II posterior tibial tendon insufficiency. *Foot Ankle Int.* 2001 Apr;22(4):283-91.
9. Kang S, Charlton TP, Thordarson DB. Lateral column length in adult flatfoot deformity. *Foot Ankle Int.* 2013 Mar;34(3):392-7.
10. Davids JR, Gibson TW, Pugh LI. Quantitative segmental analysis of weight-bearing radiographs of the foot and ankle for children: normal alignment. *J Pediatr Orthop.* 2005 Nov-Dec;25(6):769-76.
11. Klaue K, Kaliyaperumal K, Swanson SA, Low WC. Central calcaneal osteotomy for correction of flexible pes planovalgus deformity. *Foot Ankle Int.* 2013 Aug;34(8):1079-89. doi: 10.1177/1071100713483102. Epub 2013 Mar 26.
12. Zanolli DH, Glisson RR, Nunley JA, Easley ME. Biomechanical assessment of flexible flatfoot correction: comparison of techniques in a cadaver model. *J Bone Joint Surg Am.* 2014 Mar 19;96(6):e45. doi: 10.2106/JBJS.L.00258.

13. Baxter JR, Demetracopoulos CA, Prado MP, Tharmviboonsri T, Deland JT. Lateral column lengthening corrects hindfoot valgus in a cadaveric flatfoot model. *Foot Ankle Int.* 2015 Jun;36(6):705-9. doi: 10.1177/1071100715571439. Epub 2015 Feb 9.

Appendix




Figure 1. Measurements for naviculo-cuboid overlap (A) Meary's Angle (B), and talonavicular coverage angle (C). Direct measurements made by user are labeled (red) and derived features are shown (yellow).




Figure 2. Navicular Cuboid (NC) overlap




Figure 3. Meary's angle (~~Lateral Talo-1st Metatarsal angle~~)




Figure 4. Talar Navicular (TN) coverage angle

Effect of Progressively Larger Lateral Column Lengthening Calcaneal Osteotomy on Radiographic Measurements of Foot Alignment

Christopher Anthony MD, **Ross Schumer MD**, Jessica Goetz PhD,
Phinit Phisitkul MD, John Femino MD



The views expressed are those of the presenter and do not reflect the official views or policy of the Department of Defense or its Components.



I (and/or my co-authors) have something to disclose.

Detailed disclosure information is available via:

“My Academy” app;



Printed Final Program; or

AAOS Orthopaedic Disclosure Program on the AAOS website at

<http://www.aaos.org/disclosure>

